RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number: 10/501,666A
Source: PCT
Date Processed by STIC: 2-25-05

ENTERED

# CRF Errors Edited by the STIC Systems Branch

Serial Number: 10/501,666A : CRF Edit Date: 2-25-05
Edited by: ___

___ Realigned nucleic acid/amino acid numbers/text in cases where the sequence text "wrapped" to the next line

___ Corrected the SEQ ID NO. Sequence numbers edited were:

_____

___ Inserted or corrected a nucleic number at the end of a nucleic line. SEQ ID NO's edited:

_____

✓ Deleted: ✓ invalid beginning/end-of-file text ; ___ page numbers

___ Inserted mandatory headings/numeric identifiers, specifically:

_____

___ Moved responses to same line as heading/numeric identifier, specifically:

_____

___ Other:

_____
_____
_____

PCT

RAW SEQUENCE LISTING   DATE: 02/25/2005
PATENT APPLICATION: US/10/501,666A   TIME: 09:37:10

Input Set : **A:\pto.kd.txt**
Output Set: **N:\CRF4\02252005\J501666A.raw**

```
 5 <110> APPLICANT: Stordeur, Patrick
 6        Goldman, Michel
10 <120> TITLE OF INVENTION: Method to determine in vivo nucleic acid levels
14 <130> FILE REFERENCE: DECLE35.002APC
17 <140> CURRENT APPLICATION NUMBER: 10/501,666A
18 <141> CURRENT FILING DATE: 2004-07-16
21 <150> PRIOR APPLICATION NUMBER: PCT/EP03/00493
22 <151> PRIOR FILING DATE: 2003-01-20
24 <150> PRIOR APPLICATION NUMBER: EP 02447009.8
26 <151> PRIOR FILING DATE: 2002-01-18
30 <160> NUMBER OF SEQ ID NOS: 55
34 <170> SOFTWARE: PatentIn version 3.1
38 <210> SEQ ID NO: 1
40 <211> LENGTH: 21
42 <212> TYPE: DNA
44 <213> ORGANISM: Artificial Sequence
48 <220> FEATURE:
50 <223> OTHER INFORMATION: Oligonucleotide
52 <400> SEQUENCE: 1
53 gaagatgtgc ctgtcctgtg t                                        21
56 <210> SEQ ID NO: 2
58 <211> LENGTH: 21
60 <212> TYPE: DNA
62 <213> ORGANISM: Artificial Sequence
66 <220> FEATURE:
68 <223> OTHER INFORMATION: Oligonucleotide
70 <400> SEQUENCE: 2
71 cgctcaggtc agtgatgtta a                                        21
74 <210> SEQ ID NO: 3
76 <211> LENGTH: 25
78 <212> TYPE: DNA
80 <213> ORGANISM: Artificial Sequence
84 <220> FEATURE:
86 <223> OTHER INFORMATION: Oligonucleotide
88 <220> FEATURE:
90 <221> NAME/KEY: misc_feature
92 <222> LOCATION: (1)..(1)
94 <223> OTHER INFORMATION: t labelled with 6Fam
98 <220> FEATURE:
100 <221> NAME/KEY: misc_feature
102 <222> LOCATION: (25)..(25)
104 <223> OTHER INFORMATION: g labelled with Tamra-p
108 <400> SEQUENCE: 3
```

(pg.6)

```
109 tggtgatga gaccagactc cagctg                              25
112 <210> SEQ ID NO: 4
114 <211> LENGTH: 21
116 <212> TYPE: DNA
118 <213> ORGANISM: Artificial Sequence
122 <220> FEATURE:
124 <223> OTHER INFORMATION: Oligonucleotide
126 <400> SEQUENCE: 4
127 acagatgaag tgctccttcc a                                  21
130 <210> SEQ ID NO: 5
132 <211> LENGTH: 21
134 <212> TYPE: DNA
136 <213> ORGANISM: Artificial Sequence
140 <220> FEATURE:
142 <223> OTHER INFORMATION: Oligonucleotide
144 <400> SEQUENCE: 5
145 gtcggagatt cgtagctgga t                                  21
148 <210> SEQ ID NO: 6
150 <211> LENGTH: 20
152 <212> TYPE: DNA
154 <213> ORGANISM: Artificial Sequence
158 <220> FEATURE:
160 <223> OTHER INFORMATION: Oligonucleotide
162 <220> FEATURE:
164 <221> NAME/KEY: misc_feature
166 <222> LOCATION: (1)..(1)
168 <223> OTHER INFORMATION: c labelled with 6Fam
172 <220> FEATURE:
174 <221> NAME/KEY: misc_feature
176 <222> LOCATION: (20)..(20)
178 <223> OTHER INFORMATION: g labelled with Tamra-p
182 <400> SEQUENCE: 6
183 ctctgccct ctggatggcg g                                   20
186 <210> SEQ ID NO: 7
188 <211> LENGTH: 20
190 <212> TYPE: DNA
192 <213> ORGANISM: Artificial Sequence
196 <220> FEATURE:
198 <223> OTHER INFORMATION: Oligonucleotide
200 <400> SEQUENCE: 7
201 agctgcctac gtgtatgcca                                    20
204 <210> SEQ ID NO: 8
206 <211> LENGTH: 21
208 <212> TYPE: DNA
210 <213> ORGANISM: Artificial Sequence
214 <220> FEATURE:
216 <223> OTHER INFORMATION: Oligonucleotide
218 <400> SEQUENCE: 8
219 gcagtgccaa ggtctctttc a                                  21
```

RAW SEQUENCE LISTING   DATE: 02/25/2005
PATENT APPLICATION: US/10/501,666A   TIME: 09:37:10

Input Set : A:\pto.kd.txt
Output Set: N:\CRF4\02252005\J501666A.raw

```
222 <210> SEQ ID NO: 9
224 <211> LENGTH: 27
226 <212> TYPE: DNA
228 <213> ORGANISM: Artificial Sequence
232 <220> FEATURE:
234 <223> OTHER INFORMATION: Oligonucleotide
236 <220> FEATURE:
238 <221> NAME/KEY: misc_feature
240 <222> LOCATION: (1)..(1)
242 <223> OTHER INFORMATION: c labelled with 6Fam
246 <220> FEATURE:
248 <221> NAME/KEY: misc_feature
250 <222> LOCATION: (27)..(27)
252 <223> OTHER INFORMATION: labelled with Tamra-p
256 <400> SEQUENCE: 9
257 ccccacaga aattcccaca agtgcatt                          27
260 <210> SEQ ID NO: 10
262 <211> LENGTH: 21
264 <212> TYPE: DNA
266 <213> ORGANISM: Artificial Sequence
270 <220> FEATURE:
272 <223> OTHER INFORMATION: Oligonucleotide
274 <400> SEQUENCE: 10
275 catcgatttc ttccctgtga a                                21
278 <210> SEQ ID NO: 11
280 <211> LENGTH: 24
282 <212> TYPE: DNA
284 <213> ORGANISM: Artificial Sequence
288 <220> FEATURE:
290 <223> OTHER INFORMATION: Oligonucleotide
292 <400> SEQUENCE: 11
293 tcttggagct tattaaaggc attc                             24
296 <210> SEQ ID NO: 12
298 <211> LENGTH: 22
300 <212> TYPE: DNA
302 <213> ORGANISM: Artificial Sequence
306 <220> FEATURE:
308 <223> OTHER INFORMATION: Oligonucleotide
310 <220> FEATURE:
312 <221> NAME/KEY: misc_feature
314 <222> LOCATION: (1)..(1)
316 <223> OTHER INFORMATION: a labelled with 6Fam
320 <220> FEATURE:
322 <221> NAME/KEY: misc_feature
324 <222> LOCATION: (22)..(22)
326 <223> OTHER INFORMATION: a labelled with Tamra-p
330 <400> SEQUENCE: 12
331 acaagagca aggccgtgga gca                               22
334 <210> SEQ ID NO: 13
```

RAW SEQUENCE LISTING   DATE: 02/25/2005
PATENT APPLICATION: US/10/501,666A   TIME: 09:37:10

Input Set : **A:\pto.kd.txt**
Output Set: **N:\CRF4\02252005\J501666A.raw**

```
336 <211> LENGTH: 20
338 <212> TYPE: DNA
340 <213> ORGANISM: Artificial Sequence
344 <220> FEATURE:
346 <223> OTHER INFORMATION: Oligonucleotide
348 <400> SEQUENCE: 13
349 tgaggagctg gtcaacatca                                          20
352 <210> SEQ ID NO: 14
354 <211> LENGTH: 21
356 <212> TYPE: DNA
358 <213> ORGANISM: Artificial Sequence
362 <220> FEATURE:
364 <223> OTHER INFORMATION: Oligonucleotide
366 <400> SEQUENCE: 14
367 caggttgatg ctccatacca t                                        21
370 <210> SEQ ID NO: 15
372 <211> LENGTH: 20
374 <212> TYPE: DNA
376 <213> ORGANISM: Artificial Sequence
380 <220> FEATURE:
382 <223> OTHER INFORMATION: Oligonucleotide
384 <220> FEATURE:
386 <221> NAME/KEY: misc_feature
388 <222> LOCATION: (1)..(1)
390 <223> OTHER INFORMATION: a labelled with 6FAM
394 <220> FEATURE:
396 <221> NAME/KEY: misc_feature
398 <222> LOCATION: (20)..(20)
400 <223> OTHER INFORMATION: c labelled with Tamra-p
404 <400> SEQUENCE: 15
405 aggctccgc tctgcaatgg c                                         20
408 <210> SEQ ID NO: 16
410 <211> LENGTH: 21
412 <212> TYPE: DNA
414 <213> ORGANISM: Artificial Sequence
418 <220> FEATURE:
420 <223> OTHER INFORMATION: Oligonucleotide
422 <400> SEQUENCE: 16
423 cccagggacc tctctctaat c                                        21
426 <210> SEQ ID NO: 17
428 <211> LENGTH: 21
430 <212> TYPE: DNA
432 <213> ORGANISM: Artificial Sequence
436 <220> FEATURE:
438 <223> OTHER INFORMATION: Oligonucleotide
440 <400> SEQUENCE: 17
441 atgggctaca ggcttgtcac t                                        21
444 <210> SEQ ID NO: 18
446 <211> LENGTH: 22
```

```
448 <212> TYPE: DNA
450 <213> ORGANISM: Artificial Sequence
454 <220> FEATURE:
456 <223> OTHER INFORMATION: Oligonucleotide
458 <220> FEATURE:
460 <221> NAME/KEY: misc_feature
462 <222> LOCATION: (1)..(1)
464 <223> OTHER INFORMATION: t labelled with 6Fam
468 <220> FEATURE:
470 <221> NAME/KEY: misc_feature
472 <222> LOCATION: (22)..(22)
474 <223> OTHER INFORMATION: c labelled with Tamra-p
478 <400> SEQUENCE: 18
479 tggcccagg cagtcagatc atc                              22
482 <210> SEQ ID NO: 19
484 <211> LENGTH: 24
486 <212> TYPE: DNA
488 <213> ORGANISM: Artificial Sequence
492 <220> FEATURE:
494 <223> OTHER INFORMATION: Oligonucleotide
496 <400> SEQUENCE: 19
497 ctaattattc ggtaactgac ttga                            24
500 <210> SEQ ID NO: 20
502 <211> LENGTH: 21
504 <212> TYPE: DNA
506 <213> ORGANISM: Artificial Sequence
510 <220> FEATURE:
512 <223> OTHER INFORMATION: Oligonucleotide
514 <400> SEQUENCE: 20
515 acagttcagc catcacttgg a                               21
518 <210> SEQ ID NO: 21
520 <211> LENGTH: 24
522 <212> TYPE: DNA
524 <213> ORGANISM: Artificial Sequence
528 <220> FEATURE:
530 <223> OTHER INFORMATION: Oligonucleotide
532 <220> FEATURE:
534 <221> NAME/KEY: misc_feature
536 <222> LOCATION: (1)..(1)
538 <223> OTHER INFORMATION: t labelled with 6Fam
542 <220> FEATURE:
544 <221> NAME/KEY: misc_feature
546 <222> LOCATION: (24)..(24)
548 <223> OTHER INFORMATION: c labelled with Tamra-p
552 <400> SEQUENCE: 21
553 tccaacgca aagcaataca tgaac                            24
556 <210> SEQ ID NO: 22
558 <211> LENGTH: 21
560 <212> TYPE: DNA
```

RAW SEQUENCE LISTING ERROR SUMMARY   DATE: 02/25/2005
PATENT APPLICATION: US/10/501,666A   TIME: 09:37:11

Input Set : **A:\pto.kd.txt**
Output Set: **N:\CRF4\02252005\J501666A.raw**

Please Note:
Use of n and/or Xaa have been detected in the Sequence Listing. Please review the
Sequence Listing to ensure that a corresponding explanation is presented in the <220>
to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:31; N Pos. 22

VERIFICATION SUMMARY   DATE: 02/25/2005
PATENT APPLICATION: **US/10/501,666A**   TIME: 09:37:11

Input Set : **A:\pto.kd.txt**
Output Set: **N:\CRF4\02252005\J501666A.raw**

L:803 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31 after pos.:0